

NHSGGC Infant and Paediatric Oral and Enteral Nutrition Formulary



Oral Nutritional Supplements (Pages 4-6)

Preferred List

- PaediaSure® 200ml Bottle
- PaediaSure® Plus 200ml Bottle
- PaediaSure® Plus Fibre 200ml Bottle
- PaediaSure® Plus Juce 200ml Bottle
- PaediaSure® Fibre 200ml Bottle
- Ensure® Plus (Milkshake Style) 220ml Bottle Δ
- Ensure® Plus Fibre 200ml Bottle Δ
- Ensure® Plus Juce 220ml Bottle Δ
- Ensure® Plus Yoghurt Style 220ml Bottle Δ
- Enshake® Powder 96.5g Sachet Δ
- Ensure® Twocal 200ml Bottle Δ
- Ensure® Compact 125ml Bottle Δ
- Ensure® Shake 57g Sachet Δ PC,

Oral Nutritional Supplements (Pages 7-8)

Total Formulary

- Fortini® 200ml Bottle Δ**
- Fortini® Multi Fibre 200ml Bottle Δ**
- Fortini® Smoothie Multifibre 200ml Bottle Δ**
- Fortijuce® 200ml Bottle Δ**
- Fortisip® 200ml Bottle Δ**
- Fortisip® Multi Fibre 200ml Bottle Δ**
- Fortisip® Compact 125ml Bottle Δ**
- Fortisip® Compact Fibre 125ml Bottle Δ**

Oral Nutritional Supplements (Page 9) (High energy low volume) Preferred List

- Calogen® 200ml, 500ml Bottle Δ
- Calogen® Extra 200ml Bottle Δ
- Calogen® Extra Shots 40ml x 6 Pots Δ
- Pro-Cal® Shot 250ml Bottle Δ
- Pro-Cal® Powder 15g x 25 Sachets, 510g Δ

Enteral Feeds Preferred List (Pages 10-13)

- Infatrin® 100 ml, 200ml Bottle, 500ml pack♦
- SMA® High Energy 250ml Carton♦
- Nutriprem® 1 60ml (Hospital supply only)
- Nutriprem® 2 100ml (Hospital supply only), 200ml Carton
- Nutriprem® 2 Can 900g♦
- Nutrini® Energy 200ml, 500ml Pack Δ
- Nutrini® Multi Fibre 200ml, 500ml Pack Δ
- Nutrini® Energy Multi Fibre 200ml, 500ml Pack Δ
- Nutrini® Peptisorb 500ml Pack Δ
- Nutrini® Low Energy Multi Fibre 200ml, 500ml Pack Δ
- Nutrini® 200ml, 500ml Pack Δ
- Tentrini® Energy 500ml Pack Δ
- Tentrini® Energy Multi Fibre 500ml Pack Δ
- Tentrini® Multifibre 500ml Pack Δ
- Tentrini® 500ml Pack Δ
- Nutrison® 500ml Pack Δ
- Nutrison® Multifibre 500ml Pack Δ
- Nutrison® Peptisorb 500ml Pack Δ
- Nutrison® Soya 500ml Pack Δ

Enteral Feeds Total Formulary (Pages 14-16)

- Infatrin® Peptisorb 200ml Bottle♦
- PaediaSure® 500ml Pack Δ
- PaediaSure® Plus 500ml Pack Δ
- PaediaSure® Plus Fibre 500ml Pack Δ
- PaediaSure® Fibre 500ml Pack Δ
- PaediaSure® Peptide 500ml Pack Δ
- Elemental 028® Extra 250ml Carton, 100g Sachet Δ
- Peptamen® Junior 500ml Pack, 400g Can Δ
- Peptamen® Junior Advance 500ml Pack Δ
- Emsogen® 100g sachet Δ

♦ – Specialist/ Dietetic initiation, Δ - Dietetic Initiation, PC- Primary Care use only, ** for home delivery bolus feed only

NHSGGC Infant and Paediatric Oral and Enteral Nutrition Formulary



Modular Supplements Preferred List (Pages 17-18)

- | | | |
|--|--|--|
| • Duocal [®] Super Soluble 400g Can Δ | • Maxijul [®] Liquid 200ml Bottle Δ | • Polycal [®] Powder 400g Can Δ |
| • Enervit [®] ♦ | • Maxijul [®] Super Soluble 132g x 4 sachet, 200g Δ | • Polycal [®] Liquid 200ml Δ |
| • Liquigen [®] Bottle 250ml Δ | • MCT Oil 500ml Bottle Δ | • Vitapro [®] 250g Tub Δ |
| | | • Dialamine [®] 400g Can Δ |

Specialised Formulas (Page 19) Infant and child: Hydrolysate Formula Preferred List

- | | |
|--|--|
| • Milupa Aptamil [®] Pepti 1 (Allergy) 400g, 900g Can | • Nutramigen [®] 1 Lipil 400g Can |
|--|--|

Specialised Formulas (Page 20) Infant and child: Hydrolysate formula Total Formulary

- | | | |
|---------------------------------------|---|-----------------------------|
| • SMA Althéra [®] 450g Can Δ | • Similac [®] Alimentum 400g Can Δ | • Pepdite [®] Δ |
| | | • Pepdite [®] 1+ Δ |

Specialised Formulas (Page 21) Infant and child: Amino acid-based formula Preferred List

- Neocate[®] LCP Powder 400g Can

Specialised Formulas (Page 22) Infant and child: Amino acid-based formula Total Formulary

- | | | |
|---|--|---|
| • Nutramigen [®] AA LIPIL Can 400g Δ | • Neocate [®] Active 15 x 63g sachet Δ | • Neocate [®] Spoon 15x 37g sachet Δ |
| • SMA Alfamino [®] 400g Can Δ | • Neocate [®] Advance 100g sachet, 15 x50g Sachet Δ | |

Specialised Formulas (Page 23) Infant and child: MCT-enhanced formula Preferred List

- | | | |
|---|--|-----------------------------------|
| • | • MCT Pepdite [®] 400g Can Δ | • Monogen [®] 400g Can Δ |
| | • MCT Pepdite [®] 1+ 400g Can Δ | |

Specialised Formulas: Infant and child: Low Calcium (Page 23) Preferred List

- Locasol[®] Δ

Specialist Formulas for specific clinical conditions (Page 24) Preferred List

- | | | |
|--|--|------------------------------------|
| • Heparon [®] Junior 400g Can Δ | • Nepro HP 200ml Bottle Δ | • Protifar [®] 225g Can Δ |
| • Kindergen [®] 400g Can Δ | • Renastar [®] 10 x 100g Sachet Δ | |

♦ – Specialist/ Dietetic initiation, Δ - Dietetic Initiation, PC- Primary Care use only, ** for home delivery bolus feed only

NHSGGC Infant and Paediatric Oral and Enteral Nutrition Formulary



Oral Rehydration Salts (Page 25)

Preferred List

- Electrolade® 4g sachet
 - Dioralyte® 3.56g sachet
-

Feed thickeners (Page 25)

Preferred List

- Carobel, Instant®
 - Nutilis® Clear for over 3 years
-

Vitamins (Page 25)

Preferred List

- Paediatric Seravit® 200g Tub ♦
-

Fibre Total Formulary (Page 26)

- Resource® Optifibre® Powder 10g sachet, 250g can♦
-

For those infants and children requiring prescription of specialist metabolic or low protein foods information on these can be found within the NHSGGC Metabolic Product Formulary

http://www.ggcprescribing.org.uk/media/uploads/other_formularies/metabolic_product_formulary_final_211014.pdf

And the NHSGGC Low Protein Food formulary

http://www.ggcprescribing.org.uk/media/uploads/other_formularies/low_protein_formulary_final_21102014.pdf

♦ – Specialist/ Dietetic initiation, Δ - Dietetic Initiation, PC- Primary Care use only, ** for home delivery bolus feed only

Oral Nutritional supplements

These products are usually recommended in addition to food. If a child requires these nutritional products they should have been assessed by a paediatric dietitian. The paediatric dietitian will advise the prescriber on the product name, formulation, dose and timings for the oral nutritional supplement. Expected duration of treatment and review plans should also be included.

ONS PREFERRED LIST

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] (Abbott)

Bottle: 200ml. Banana, chocolate, strawberry, vanilla. Flexible pack: 500ml. Vanilla
Gluten-free. Residual lactose

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Plus (Abbott)

Bottle: 200ml. Banana, strawberry, vanilla, unflavoured. Flexible pack: 500ml. Vanilla
Gluten-free. Residual lactose

A2.1.3.2 Enteral feeds, Child: 1 kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Fibre (Abbott)

Bottle: 200ml. Banana, strawberry, vanilla. Flexible pack: 500ml. Vanilla
Gluten-free. Residual lactose

A2.2.1.2 Nutritional supplements: More than 1kcal/mL and less than 5g protein/100mL

Not suitable for use in child under 1 year; use with caution in child 1–5 years unless otherwise stated

Paediasure[®] Plus Juce (Abbott)

Bottle: 200ml. Apple, very berry
Gluten-free. Residual lactose. Non-milk taste

A2.1.3.4 Enteral feeds, Child: 1.5kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Plus Fibre (Abbott)

Bottle: 200ml. Banana, strawberry, vanilla. Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.2.2.1 Nutritional supplements: 1.5kcal/ml and 5g (or more) protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years

Ensure[®] Plus Milkshake Style (Abbott)

Bottle: 220ml. Banana, chocolate, coffee, fruits of the forest, orange, peach, raspberry, strawberry, vanilla, neutral

Gluten-free. Residual lactose

A2.2.2.1 Nutritional supplements: 1.5kcal/ml and 5g (or more) protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years

Ensure[®] Plus Fibre (Abbott)

Bottle: 200ml. Banana, chocolate, raspberry, strawberry, vanilla

Gluten-free. Residual lactose

A2.2.1.2 Nutritional supplements: More than 1kcal/ml and less than 5g protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years

Ensure[®] Plus Juce (Abbott)

Bottle: 220ml. Apple, fruit punch, lemon-lime, orange, peach, strawberry

Gluten-free. Residual lactose. Non-milk taste

A2.2.2.1 Nutritional supplements: 1.5kcal/ml and 5g (or more) protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years

Ensure[®] Plus Yoghurt style (Abbott)

Bottle: 220ml. Peach, strawberry

Gluten-free. Residual lactose

A2.4.1.3 High-energy supplements: protein: Protein, fat, and carbohydrate

Enshake[®] Powder (Abbott)

Sachet: 96.5g. Banana, chocolate, strawberry, vanilla
Residual lactose. Contains vitamins and minerals

A2.1.2.3 Enteral feeds: More than 1.5kcal/mL and 5g (or more) protein/100mL

Not suitable for use in child under 1 year unless otherwise stated; not recommended for child 1–6 years

Ensure[®] Twocal (Abbott)

Bottle: 200ml. Banana, neutral, strawberry, vanilla
Gluten-free. Residual lactose

A2.2.2.1 Nutritional supplements: More than 1.5kcal/mL and 5g (or more) protein/100 mL

Not suitable for use in child under 1 year; use with caution in child 1-5 years

Ensure[®] Compact (Abbott)

Bottle: 4 x 125mls, vanilla, strawberry, banana. Specialist/ dietetic initiation only
(125mls = 300kcal) - a low volume high calorie supplement. Gluten Free. Residual lactose
Not suitable for use in children unless advised by a specialist paediatric dietitian

A2.2.1.2 Nutritional supplements: More than 1 kcal/mL and less than 5g protein/100mL

Not suitable for use in child under 1 year

Ensure[®] Shake (Abbott)

Sachets: 7 x 57g. Banana, chocolate, strawberry, vanilla. For GP10 prescription in primary care only
1 x 57g sachet = 389 Kcal made up with 200ml full fat milk – not suitable as a sole source of nutrition
Limit to 1 sachet per day unless recommended otherwise by a dietitian
Not suitable for use in children unless advised by a specialist paediatric dietitian

ONS TOTAL FORMULARY

A2.1.3.3 Enteral feeds, Child: More than 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Fortini® (Nutricia Clinical)

Bottle: 200ml. Strawberry, vanilla

Gluten-free. Residual lactose

A2.1.3.3 Enteral feeds, Child: More than 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Fortini® Multifibre (Nutricia Clinical)

Bottle: 200ml. Banana, chocolate, strawberry, vanilla, and unflavoured

Gluten-free. Residual lactose

A2.1.3.3 Enteral feeds, Child: More than 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Fortini® Smoothie Multifibre (Nutricia Clinical)

Bottle: 200ml. Berry fruit, summer fruit

Gluten-free. Residual lactose

A2.2.1.2 Nutritional supplements: More than 1kcal/ml and less than 5g protein/100ml

Use with caution in child 3–5 years

Fortijuice® (Nutricia Clinical)

Bottle: 200ml. Apple, black currant, forest fruits, lemon, orange, strawberry, tropical. Starter pack (mixed), 4 × 200ml

Gluten-free. Residual lactose. Non-milk taste

A2.2.2.1 Nutritional supplements: 1.5kcal/ml and 5g (or more) protein/100ml

Use with caution in child 3–5 years

Fortisip® Bottle (Nutricia Clinical)

Bottle: 200ml. Banana, chocolate, neutral, orange, strawberry, toffee, tropical fruits, vanilla

Gluten-free. Residual lactose

A2.2.2.1 Nutritional supplements: 1.5kcal/ml and 5g (or more) protein/100ml

Use with caution in child 3–5 years. Not suitable for child under 3 years

Fortisip® Multi Fibre (Nutricia Clinical)

Bottle: 200ml. Vanilla

Gluten-free. Residual lactose

A2.2.2.3 Nutritional supplements: More than 1.5 kcal/ml and 5g (or more) protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years unless otherwise stated

Fortisip® Compact (Nutricia Clinical)

Bottle: 125ml. Apricot, banana, chocolate, forest fruits, mocha, strawberry, vanilla. Starter pack: 6 × 125ml

Residual lactose

A2.2.2.3 Nutritional supplements: More than 1.5kcal/ml and 5g (or more) protein/100ml

Not suitable for use in child under 1 year; use with caution in child 1–5 years unless otherwise stated

Fortisip® Compact Fibre (Nutricia Clinical)

Bottle: 125ml. Mocha, strawberry, vanilla. Starter pack: 4 × 125ml

Gluten-free. Residual lactose

ONS HIGH ENERGY LOW VOLUME PREFERRED LIST

[GGC Guideline for Appropriate use of High Energy Low Volume Products](#)

A2.4.1.2 High-energy supplements: fat

Liquid supplements should be diluted before use in child under 5 years

Calogen[®] (Nutricia Clinical)

Bottle: 200ml, 500ml. Banana, neutral, strawberry

Gluten-free. Lactose-free

A2.4.1.3 High-energy supplements: protein: Protein, fat, and carbohydrate

Calogen[®] Extra (Nutricia Clinical) not in children's BNF

Bottle: 200ml. Neutral, strawberry

Gluten-free. Residual lactose. Contains vitamins and minerals

A2.4.1.3 High-energy supplements: protein: Protein, fat, and carbohydrate

Calogen[®] Extra Shots (Nutricia Clinical) not in children's BNF

Pot: 40ml x6. Neutral, strawberry

Gluten-free. Residual lactose. Contains vitamins and minerals

A2.4.1.3 High-energy supplements: protein, fat and carbohydrate

Pro-Cal[®] (Vitaflo)

Sachets: 25 x 15g. Tub: 510g.

Contains lactose. Gluten-free

ENTERAL FEEDS PREFERRED LIST

A2.1.3.2 Enteral feeds, Child: 1 kcal/ml and less than 4g protein/100ml

Infatrini[®] (Nutricia Clinical)

Bottle: 100ml. 200ml. Flexible pack: 500ml
Gluten-free. Contains fish oil

A2.1.3.1 Enteral feeds, Child: Less than 1 kcal/ml and less than 4g protein/100ml

SMA[®] High Energy (SMA Nutrition)

Carton: 250ml
Contains lactose

A2.1.3.1 Enteral feeds, Child: Less than 1kcal/ml and less than 4g protein/100ml

Nutriprem[®] 1 (Cow & Gate)

Bottle: 60ml. Hospital supply only
Contains soya, fish oil and egg lipid

A2.1.3.1 Enteral feeds, Child: Less than 1kcal/ml and less than 4g protein/100ml

Nutriprem[®] 2 (Cow & Gate)

Liquid (sip feed)
Bottle: 100ml (hospital supply only, not ACBS listed)
Contains soya, fish oil and egg lipid

Standard dilution (15.3%) of powder (sip feed)
Can: 900g
Contains soya, fish oil and egg lipid

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Nutrini[®] Energy (Nutricia Clinical)

Bottle: 200ml. Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Nutrini[®] Multi Fibre (Nutricia Clinical)

Bottle: 200ml. Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.4 Enteral feeds, Child: 1.5kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Nutrini[®] Energy Multi Fibre (Nutricia Clinical)

Bottle: 200ml. Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Nutrini[®] Peptisorb (Nutricia Clinical)

Flexible pack: 500ml

Gluten-free. Residual lactose

A2.1.3.1 Enteral feeds, Child: Less than 1kcal/ml and less than 4g protein/100ml

Nutrini[®] Low Energy Multifibre(Nutricia Clinical)

Bottle: 200ml. Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Nutrini[®] (Nutricia Clinical)

Bottle: 200ml. Flexible pack: 500ml

Gluten-free. Residual lactose

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Tentrini[®] Energy (Nutricia Clinical)

Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Tentrini[®] Energy Multi Fibre (Nutricia Clinical)

Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Tentrini[®] Multi Fibre (Nutricia Clinical)

Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Tentrini[®] (Nutricia Clinical)

Flexible pack: 500ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.1.1 Enteral feeds: 1kcal/ml and less than 5g protein/100ml
Not suitable for use in child under 1 year; not recommended for child 1–6 years

Nutrison® (Nutricia Clinical)

Bottle: 500ml. Flexible pack: 500ml, 1000ml, 1500ml
Gluten-free. Residual lactose

A2.1.1.1 Enteral feeds: 1kcal/ml and less than 5g protein/100ml
Not suitable for use in child under 1 year; not recommended for child 1–6 years

Nutrison® Multi Fibre (Nutricia Clinical)

Bottle: 500ml. Flexible pack: 500ml, 1000ml, 1500ml
Gluten-free. Residual lactose

A2.1.1.1 Enteral feeds: 1 kcal/ml and less than 5g protein/100ml
Not suitable for use in child under 1 year unless otherwise stated; not recommended for child 1–6 years

Nutrison® Peptisorb (Nutricia Clinical)

Bottle: 500ml. Flexible pack: 500ml, 1000ml
Gluten-free. Residual lactose

A2.1.1.1 Enteral feeds: 1 kcal/ml and less than 5g protein/100ml > Soya protein formula
Not suitable for use in child under 1 year. Not recommended for child 1-6 years

Nutrison® Soya (Nutricia Clinical)

Bottle: 500ml. Flexible pack: 1000ml
Gluten-free. Residual lactose. Milk protein-free

ENTERAL FEEDS TOTAL FORMULARY

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

Suitable for infants from birth

Infatrini[®] Peptisorb (Nutricia Clinical)

Bottle: 200ml

Gluten-free. Residual lactose. Contains fish oil

A2.1.3.2 Enteral feeds, Child: 1 kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] (Abbott)

Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Plus (Abbott)

Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.1.3.4 Enteral feeds, Child: 1.5 kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Plus Fibre (Abbott)

Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Paediasure[®] Fibre (Abbott)

Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.1.3.2 Enteral feeds, Child: 1 kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year unless otherwise stated

Paediasure[®] Peptide(Abbott)

Bottle: 200ml. Vanilla. Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose

A2.1.1.2 Enteral feeds: Less than 1 kcal/ml and less than 5g protein/100ml: Amino acid formula (essential and non-essential amino acids)

Not suitable for use in child under 1 year unless otherwise stated; not recommended for child 1–6 years

Elemental 028[®] Extra (Nutricia Clinical)

Liquid (sip feed) per 100ml

Carton: 250ml. Grapefruit, orange and pineapple, summer fruits

Standard dilution (20 %) of powder (sip or tube feed) per 100ml

Sachet: 100g. Banana, citrus, orange, unflavoured

A2.1.3.2 Enteral feeds, Child: 1kcal/ml and less than 4g protein/100ml

Not suitable for use in child under 1 year

Peptamen[®] Junior (Nestlé)

Liquid (tube feed)

Flexible pack: 500ml

Gluten-free. Residual lactose. Hydrolysed with pork trypsin

Standard dilution (22%) of powder (sip or tube feed)

Can: 400g. Vanilla

Gluten-free. Residual lactose. Hydrolysed with bacterial trypsin

A2.1.3.4 Enteral feeds, Child: 1.5kcal/ml and more than 4g protein/100ml

Not suitable for use in child under 1 year

Peptamen[®] Junior Advance (Nestlé)

Flexible pack: 500ml

Gluten-free. Residual lactose. Hydrolysed with pork trypsin. Contains fish oil

A2.1.3.1 Enteral feeds, Child: Less than 1kcal/ml and less than 4g protein/100ml: Amino acid formula (essential and non-essential amino acids)

Emsogen[®] (SHS)

Sachet: 100g. Orange, unflavoured

Lactose-free

MODULAR SUPPLEMENTS PREFERRED LIST

A2.4.1.2 High-energy supplements: Fat and Carbohydrate

Duocal[®] Super Soluble (SHS)

Can: 400g

Gluten-free. Lactose-free

A2.4.1.2 High-energy supplements: fat: fat and carbohydrate

Liquid supplements should be diluted before use in child under 5 years

Energivit[®] (SHS)

Can: 400g, (5g measuring scoop provided)

Lactose-free. With vitamins, minerals, and trace elements

A2.4.1.2 High-energy supplements: fat

Liquid supplements should be diluted before use in child under 5 years

Liquigen[®] (SHS)

Bottle: 250ml

Gluten-free. Lactose-free

A2.4.1.1 High-energy supplements: carbohydrate

Maxijul[®] Liquid (SHS)

Can: 200ml. Unflavoured, orange.

Gluten-free. Lactose-free

A2.4.1.1 High-energy supplements: carbohydrate

Maxijul[®] Super Soluble (SHS)

Sachets: 4 × 132 g. Can: 200g. Unflavoured

Gluten-free. Lactose-free

A2.4.1.2 High-energy supplements: fat

Liquid supplements should be diluted before use in child under 5 years

Medium-chain Triglyceride (MCT) Oil (Nutricia Clinical)

Bottle: 500ml

A2.4.1.1 High-energy supplements: carbohydrate

Flavoured carbohydrate supplements are not suitable for child under 1 year; liquid supplements should be diluted before use in child under 5 years

Polycal® Powder (Nutricia Clinical)

Powder: Can. 400g. Neutral

Gluten-free. Lactose-free

A2.4.1.1 High-energy supplements: carbohydrate

Flavoured carbohydrate supplements are not suitable for child under 1 year; liquid supplements should be diluted before use in child under 5 years

Polycal® Liquid (Nutricia Clinical)

Gluten-free. Lactose-free

Liquid: Bottle. 200ml. Neutral, orange

A2.4.1.3 High-energy supplements: protein

Vitapro® Powder (Vitaflo)

Tub: 250g.

(100g = 390kcal). Contains lactose.

Dialamine® Powder (SHS)

Can: 400g. Orange flavoured.

(100g = 360kcal).

SPECIALIST FORMULAS: INFANT & CHILD:

For infants with suspected Non IgE Cows Milk Allergy click here for management guideline: [Non IgE Cows Milk Allergy Management in Infants](#)

SPECIALIST FORMULAS: INFANT & CHILD : HYDROLYSATE FORMULA PREFERRED LIST

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula. Whey based.

Suitable for infants from birth

Milupa Aptamil Pepti[®] 1 (Allergy) (Milupa)

Can: 400g, 900g

Powder provides: protein 11.6g, carbohydrate 52g, fat 25.6g, energy 2025kJ (484kcal)/100g

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula. Casein based.

Suitable for infants from birth

Nutramigen[®] 1 Lipil (Mead Johnson)

Can: 400g

Gluten-free. Lactose-free

SPECIALIST FORMULAS: INFANT & CHILD : HYDROLYSATE FORMULA TOTAL FORMULARY

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

Suitable for infants from birth

SMA Althera[®] (Vitaflo)

Can: 450g

Powder provides: protein 12.5g, carbohydrate 55.5g, fat 26g, energy 2117kJ (506kcal)/100g

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

Suitable for infants from birth

Similac[®] Alimentum (Abbott)

Can: 400g

Powder provides: protein 14.4g, carbohydrate 51.4g, fat 29.1g, energy 2196kJ (525kcal)/100g

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

Suitable for infants from birth

Pepdite[®] (SHS)

Can: 400g

Lactose-free. Contains meat (pork) and soya derivatives

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

Suitable for infants from birth

Pepdite[®] 1+ (SHS)

Can: 400g

Lactose-free. Contains meat (pork) and soya derivatives

SPECIALIST FORMULAS: INFANT & CHILD : AMINO ACID - BASED FORMULA PREFERRED LIST

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula

Suitable for infants from birth

Neocate[®] LCP Powder (SHS)

400g can

Milk protein-free

SPECIALIST FORMULAS: INFANT & CHILD : AMINO ACID - BASED FORMULA TOTAL FORMULARY

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula
Nutritional supplement only. Not suitable for child under 1 year

Nutramigen® AA LIPIL (Mead Johnson)

400g can

Powder provides: protein 13.9g, carbohydrate 51g, fat 26g, energy 2092kJ (498kcal)/100g

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula
Nutritional supplement only. Not suitable for child under 1 year

SMA Alfamino® (SMA)

400g can

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula
Not suitable for child under 1 year

Neocate® Active (SHS)

Sachet: 15 × 63g. Black currant, unflavoured

Milk protein-free

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula
Not suitable for child under 1 year

Neocate® Advance (SHS)

Sachet: 100g. Unflavoured, 15 × 50g. Banana-vanilla

Milk protein-free

A2.3.1 Specialised formulas: Infant and child: Amino acid-based formula
Not suitable for child under 6 months

Neocate® Spoon (Nutricia Clinical)

Sachet: 15 × 37g

Milk protein-free

SPECIALIST FORMULAS: INFANT & CHILD : MCT- ENHANCED FORMULA

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula
Suitable for infants from birth

MCT Peptide® (SHS)

Can: 400g

Gluten-free. Lactose-free. Contains meat (pork) and soya derivatives

A2.3.1 Specialised formulas: Infant and child: Hydrolysate formula

MCT Peptide® +1 (SHS)

Can: 400g

Gluten-free. Lactose-free. Contains meat (pork) and soya derivatives

SPECIALIST FORMULAS: INFANT & CHILD : LOW CALCIUM FORMULA PREFERRED LIST

A2.3.1 Specialised formulas: Infant and child: Low calcium formula
Suitable for infants from birth

Locasol® (SHS)

Can: 400g

Contains lactose. Calcium less than 7 mg/100ml. No added vitamin D

SPECIALIST FORMULAS FOR SPECIFIC CLINICAL CONDITIONS : PREFERRED LIST

A2.3.2 Specialised formulas for specific clinical conditions

Heparon[®] Junior (SHS)

Can: 400g

Contains lactose. Electrolytes/100ml: Na⁺ 0.56mmol. K⁺ 1.9mmol. Ca²⁺ 2.3mmol. P⁺ 1.6mmol

A2.3.2 Specialised formulas for specific clinical conditions

Kindergen[®] (SHS)

Tub: 400g

Electrolytes/100ml: Na⁺ 2mmol. K⁺ 0.6mmol. Ca²⁺ 2.8mmol. P⁺ 3mmol. Low Vitamin A

A2.3.2 Specialised formulas for specific clinical conditions

Nepro[®] HP(Abbott)

Carton: 200ml. Strawberry, vanilla. Flexible pack: 500ml. Vanilla

Gluten-free. Residual lactose. Electrolytes/100ml: Na⁺ 3.67mmol. K⁺ 2.72mmol. Ca²⁺ 3.43mmol. P⁺ 2.23mmol

A2.3.2 Specialised formulas for specific clinical conditions

Renastart[®] (Vitaflo)

Can: 400g. Unflavoured

Contains lactose. Electrolytes/100ml: Na⁺ 2.1mmol. K⁺ 0.6 mmol. Ca²⁺ 0.6 mmol. P⁺ 0.6mmol

A2.4.1.3 High energy supplements: protein

Protifar[®] (Nutricia Clinical)

Can: 225g. Unflavoured

Gluten-free. Residual lactose. Electrolytes/100ml: Na⁺ 1.3mmol. K⁺ 1.2 mmol. Ca²⁺ 33.75 mmol. P⁺ 22.58mmol

ORAL REHYDRATION SALTS PREFERRED LIST

9.2.1.2 Oral sodium and water: Oral Rehydration Therapy (ORT): Oral Rehydration Salts (ORS): UK formulations

Electrolade[®] (Actavis)

Banana, black currant, lemon and lime, or orange-flavoured. 6-sachet (plain or multi flavoured) pack, 20-sachet (single- or multi flavoured) pack
Oral powder, sodium chloride 236mg, potassium chloride 300mg, sodium bicarbonate 500mg, anhydrous glucose 4g/sachet

9.2.1.2 Oral sodium and water: Oral Rehydration Therapy (ORT): Oral Rehydration Salts (ORS): UK formulations

Dioralyte[®] (Sanofi-Aventis)

6-sachet pack, 20-sachet pack (black currant or citrus-flavoured or natural)
Oral powder, sodium chloride 470mg, potassium chloride 300mg, disodium hydrogen citrate 530mg, glucose 3.56g/sachet

FEED THICKENERS PREFERRED LIST

A2.5.2 Feed thickeners and pre-thickened drinks

Carobel Instant[®] (Cow & Gate)

135g packet
Powder, carob seed flour

A2.5.2 Feed thickeners and pre-thickened drinks

For thickening of liquids or foods in dysphagia. Not suitable for children under 3 years

Nutlis[®] Clear (Nutricia Clinical)

175g tin
Powder, maltodextrin, xanthan gum, guar gum, gluten- and lactose-free

VITAMINS PREFERRED LIST

A2.4.2 Fibre, vitamin, and mineral supplements: Vitamin and Mineral supplements

Paediatric Seravit[®] (SHS)

Tub: 200g. Unflavoured, 200g. Pineapple

FIBRE TOTAL FORMULARY

A2.4.2 Fibre, vitamin, and mineral supplements: High-fibre supplements

Resource[®] Optifibre[®] (Nestlé)

Sachet: 16 x 10g. Can: 250g

Gluten-free. Lactose-free